

A Preliminary Test of Super-parameterization in an Idealized Framework

Joon-Hee Jung and Akio Arakawa
University of California, Los Angeles


The purpose of the present study

To test and revise the method of coupling a cloud-system-resolving model (CSRM) and a GCM in the "Super-parameterization".

- Lateral boundary conditions of the CSRM
- Communications between the GCM and the CSRM

The Original Method of Coupling, 2D


TR 2



- CSRMs are confined to each column of a GCM with a cyclic lateral boundary condition. (no communication between CSRMs)
- Communications between the GCM and the CSRMs at the ● points.
 - Large-scale advective tendencies of thermodynamic variables are given to CSRMs.
 - The thermodynamic variables of GCM are updated by horizontal averaging of the CSRMs fields.
 - The E-W flows of CSRMs and GCM are coupled by relaxing one to each other on a finite time-scale.

A Revised Method of Coupling, 2D

TR 3



- CSRMs share the whole domain of GCM.
- Communications between the GCM and the CSRMs at the ● and ○ points.
 - The thermodynamic variables of GCM are updated by horizontal averaging of the CSRMs fields.
 - The E-W flows of CSRMs and GCM are coupled at the ○ points by relaxing one to each other on a finite time-scale.

"GCM and CSRMs share approximately the same fluxes of mass and other quantities at the borders of GCM grid boxes."

- We set up a two-dimensional model that combines a CSRM^{*}, with detailed formulations of microphysics, radiation and turbulence, and a "GCM" which is a lower-resolution version of the same model but without physics.

* The UCLA/University of Utah/CSU Cloud-System-Resolving Model (CSRM)

- Under idealized tropical conditions, we perform
 - CSRM runs (CONTROLS),
 - runs with the "Super-parameterization" using the original and revised methods of coupling for the selected realizations of CONTROL.

Domain size of "GCM": 19km (height) × 512km (width)

Horizontal resolution: 2km for CSRM, 16 and 64km for "GCM"

Vertical resolution: 34 layers with a stretched vertical grid


Initial conditions and prescribed large-scale forcing: GATE Phase-III mean sounding.

CONTROL (over land, strong forcing, geostrophic wind shear)

TR 5


Clouds, precipitation and wind

An example of the development of cloud systems for 1 hour period




Moist Static Energy (K)

local time: 12 h




local time: 13 h



Moist Static Energy (K)


local time: 13 h

CONTROL




The original method of coupling

CRCP_16km




CRCP_64km




Moist Static Energy (K)

local time: 13 h




The revised method of coupling



Upward Mass Flux (after 20 min. integration)

TR 9



CONTROL






Original Coupling

Revised Coupling

CRCP_16km




CRCP_64km




Cloud Top Temperature


CONTROL



Original Coupling






CRCP_16km




Revised Coupling

CRCP_64km







Ensemble/Domain Averaged Profiles of Real Sources Moist Static Energy




Original Coupling

Revised Coupling



Ensemble/Domain Averaged Profiles of Real Sources Total Water



CONTROL





Original Coupling

Revised Coupling

CRCP_16km



CRCP_64km




Ensemble/Domain Averaged Profiles of Required and Simulated Sources

(late afternoon, 1 hour interval for physics)

Moist Static Energy

Original Coupling

Revised Coupling



Ensemble/Domain Averaged Profiles of Required and Simulated Sources



(late afternoon, 1 hour interval for physics)

Total Water



Original Coupling

Revised Coupling

CRCP_16km



CRCP_64km





Errors of the Ensemble Time/Domain Averaged Profiles Predicted with CRCP



Original Coupling

Revised Coupling

Moist Static Energy



Total Water





Errors of the Ensemble Time/Domain Averaged Profiles Predicted with CRCP



Original Coupling

Revised Coupling

Temperature



Relative Humidity



- The original and revised methods of coupling a CSRM and a GCM are tested in the two-dimensional framework.

With the original method of coupling,

- cloud systems can propagate only when the grid size of GCM is very fine,
- spurious vertical fluxes are generated due to the cyclic lateral boundary condition,
- simulated sources are generally weaker than the required sources, so that errors appear on large-scale thermodynamic fields.

With the revised method of coupling,

- cloud systems propagate properly,
- no spurious vertical fluxes due to the cyclic lateral boundary condition exist,
- errors appearing on large-scale thermodynamic fields are relatively small.

- The sensitivity to the choice of relaxation times for thermodynamic fields and momentum are also tested.

The revised method of coupling

is not sensitive to the choice of relaxation times for momentum up to 6 hours, and is sensitive to that for thermodynamic fields.

Errors of the Ensemble Time/Domain Averaged Profiles Predicted with CRCP_64km

(revised coupling with different relaxation times for thermodynamic variables)

